

Laucks ⁸¹ _{YOUS}

Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Chemistry, Microbiology, and Technical Services



Certificate

CLIENT: Alaskan Copper Works
P.O. Box 3546
Seattle, WA 98124
ATTN: Raphael

LABORATORY NO. 17548

DATE: Aug. 10, 1989

PO# M10777

REPORT ON: OIL

SAMPLE

IDENTIFICATION: Submitted 07/14/89 and identified as shown below:

REF: 40-CFR-261 7-14-628-M10777

TESTS PERFORMED AND RESULTS:

Sample was analyzed for E.P. Toxicity in accordance with Test Methods for Evaluating Solid Waste (SW 846), U.S.E.P.A, November, 1986. Extraction was performed using Method 1310. Mercury was determined using Method 7470, other metals were performed by ICAP, Method 6010.

parts per million (mg/L)

| | <u>Sample</u> | <u>MCL</u> |
|----------|---------------|------------|
| Arsenic | <0.2 | 5.0 |
| Barium | 0.1 | 100. |
| Cadmium | <0.01 | 1.0 |
| Chromium | <0.1 | 5.0 |
| Lead | <0.1 | 5.0 |
| Mercury | <0.005 | 0.2 |
| Selenium | <0.2 | 1.0 |
| Silver | <0.1 | 5.0 |
| Copper | 0.2 | 100. |
| Nickel | <0.1 | --- |
| Zinc | 0.9 | 500. |



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015220

Laucks ⁸¹ YEARS

Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Chemistry, Microbiology, and Technical Services

Certificate

Alaskan Copper Works

PAGE NO. 2

LABORATORY NO. 17548


Key

< = Less than

MCL = Maximum Contamination Level allowed per regulation.

Respectfully submitted,

Laucks Testing Laboratories, Inc.


B. Gleason

BG:emt



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015221

Laucks® Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Certificate

Chemistry, Microbiology, and Technical Services

CLIENT: Alaskan Copper Works
P.O. Box 3546
Seattle, WA 98124
ATTN: Raphael

LABORATORY NO. 17548

DATE: Aug. 10, 1989

PO# M10777

REPORT ON: OIL

SAMPLE

IDENTIFICATION: Submitted 07/14/89 and identified as shown below:

REF: 40-CFR-261 7-14-628-M10777

TESTS PERFORMED AND RESULTS:

Sample was analyzed for E.P. Toxicity in accordance with Test Methods for Evaluating Solid Waste (SW 846), U.S.E.P.A, November, 1986. Extraction was performed using Method 1310. Mercury was determined using Method 7470, other metals were performed by ICAP, Method 6010.

parts per million (mg/L)

| | <u>Sample</u> | <u>MCL</u> |
|----------|---------------|------------|
| Arsenic | <0.2 | 5.0 |
| Barium | 0.1 | 100. |
| Cadmium | <0.01 | 1.0 |
| Chromium | <0.1 | 5.0 |
| Lead | <0.1 | 5.0 |
| Mercury | <0.005 | 0.2 |
| Selenium | <0.2 | 1.0 |
| Silver | <0.1 | 5.0 |
| Copper | 0.2 | 100. |
| Nickel | <0.1 | --- |
| Zinc | 0.9 | 500. |



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015222



Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Certificate

Chemistry, Microbiology, and Technical Services

Alaskan Copper Works

PAGE NO. 2

LABORATORY NO. 17548

Key

< = Less than

MCL = Maximum Contamination Level allowed per regulation.

Respectfully submitted,

Laucks Testing Laboratories, Inc.

B. Gleason

BG:emt



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015223

Laucks⁸¹_{years}

Testing Laboratories, Inc.

940 South Harney St., Seattle, Washington 98108 (206) 767-5060 FAX 767-5063

Chemistry, Microbiology, and Technical Services



Invoice

CLIENT: Alaskan Copper Works
P.O. Box 3546
Seattle, WA 98124
ATTN: Raphael

INVOICE NO. 17548

DATE: Aug. 10, 1989

PO# M10777

For the analysis of OIL ----- \$238.00

Net 30 Days

The sole liability of these laboratories for these services, including claims for negligence, strict liability in tort or warranty, shall not exceed the amount of this invoice. Samples may be discarded after analysis unless otherwise requested.

Fed. Empl. ID No. 91-0580763



AKC-0015224